



# SPOT ON® FLEA & TICK CONTROL FOR DOGS



## 3 MONTH SUPPLY

FOR PUPPIES, TOYS & MINIATURES | UNDER 15 LBS



## SPOT ON® FLEA & TICK CONTROL FOR DOGS

- Three monthly treatments
- Each applicator kills & repels fleas, ticks & mosquitoes for up to 30 days
- Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

ACTIVE INGREDIENTS:  
 Permethrin (CAS # 52645-53-1)..... 45%  
 (S)-Methoprene (CAS # 65733-16-6).... 3%  
 OTHER INGREDIENTS:..... 52%  
 TOTAL ..... 100%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Inside Back Panel for Additional Precautionary Statements

NET CONTENTS: Three 0.034 fl oz Applicators



**DO NOT USE  
ON CATS!**



0 39079 06003 5

EPA Reg. No. 2724-497-270

EPA Est. No. 2724-TX-1

Spot On® is a registered trademark of Wellmark International

Made in USA ©2006 Farnam Companies, Inc.

Product Code: 3006003 • RM# 101037 • 06-1715

**SPOT ON®  
FLEA & TICK CONTROL FOR DOGS**



FOR PUPPIES,  
TOYS & MINIATURES  
UNDER 15 LBS

**IMPORTANT!** Intended for Use on Dogs & Puppies 6 Months of Age or Older  
**READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES.**  
**DO NOT USE ON CATS!**  
**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.  
 BIO SPOT® Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.  
**DO NOT USE ON CATS!** May be toxic and potentially fatal if applied to or ingested by cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effects.  
 1. Bend at perforation and tear off first month's applicator. 2. Hold applicator and bend area of plastic at perforation, tear off and discard. 3. Hold applicator upright and snap tip back, away from face and body. 4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator. 5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator. 6. Do not reapply product for 30 days.  
**NOTE: DO NOT APPLY BIO SPOT SPOT ON FLEA & TICK CONTROL FOR DOGS to cats. This product is intended for dogs only!**  
 Although BIO SPOT Spot On Flea & Tick Control For Dogs is applied only between the shoulder blades and at the base of the tail, the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. BIO SPOT Spot On Flea & Tick Control For Dogs is most effective when used as part of a total flea and tick management program. Use other BIO SPOT products registered for residential area control of these pests in conjunction with this treatment.  
**FIRST AID**  
 If on skin or clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15–20 minutes. • Call a poison control center or doctor for treatment advice.  
 Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 or a poison control center for emergency medical treatment.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish.  
**PHYSICAL OR CHEMICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.  
 In case of emergency, or for product information call 1-800-234-2269, Monday-Friday, 7:00 AM - 3:45 PM MST  
**PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS & DOMESTIC ANIMALS:** DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS – CAUTION: HUMANS:** Avoid contact with skin or clothing. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse thoroughly with water. If signs continue, consult a veterinarian IMMEDIATELY. In the event of an emergency, contact 1-800-234-2269.  
**STORAGE & DISPOSAL:** Storage: Store in a cool, dry area in a location out of reach of children and pets. **Dispose:** If Empty: Do not reuse empty applicator. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.



PS

**bio SPOT**  
**SPOT ON®**  
**FLEA & TICK CONTROL FOR DOGS**



**SPOT ON®  
FLEA & TICK  
CONTROL  
FOR DOGS**

**CENTRAL**  
Garden & Pet



## APPLICATION METHOD



1. Bend at perforation and tear off first month's applicator.
2. Hold applicator and bend area of plastic at perforation, tear off and discard.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator.
5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator.
6. Do not reapply product for 30 days.



Manufactured for:  
**FARNAM PET PRODUCTS**  
A Division of Farnam Companies, Inc.  
P.O. Box 34820 • Phoenix, AZ 85067  
[biospot.com](http://biospot.com)



**DO NOT USE  
ON CATS!**




**TREATMENT SCHEDULE**  
Dosage: 1 Applicator every 30 days per dog

Pet's Name	First Treatment Date	Second Treatment Date (30 Days From 1st)	Third Treatment Date (30 Days From 2nd)

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_



**REMINDER:**

I purchased Bio Spot®  
Spot On® from:

\_\_\_\_\_

\_\_\_\_\_

BIO SPOT® SPOT ON®

Flea & Tick Control For Puppies,  
Toys & Miniatures Under 15 lbs

Permethrin 45%, (S)-Methoprene 3%

KEEP OUT OF REACH OF CHILDREN

CAUTION

DO NOT USE ON CATS

READ DIRECTIONS BEFORE USING

EPA Reg. No. 2724-497-270

Net Contents: 0.034 fl oz

©2006 Farnam Companies, Inc.

06-1766 RM# 101039





# SPOT ON® FLEA & TICK CONTROL FOR DOGS



DO NOT USE  
ON CATS!



**3** MONTH SUPPLY

SMALL SIZE DOGS | 16 TO 30 LBS

## SPOT ON® FLEA & TICK CONTROL FOR DOGS

- Three monthly treatments
- Each applicator kills & repels fleas, ticks & mosquitoes for up to 30 days
- Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

ACTIVE INGREDIENTS:  
 Permethrin (CAS # 52645-53-1)..... 45%  
 (S)-Methoprene (CAS # 65733-16-6)..... 3%  
 OTHER INGREDIENTS..... 52%  
 TOTAL ..... 100%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Inside Back Panel for Additional Precautionary Statements NET CONTENTS: Three 0.034 fl oz Applicators



DO NOT USE  
ON CATS!



**SPOT ON®  
FLEA & TICK CONTROL FOR DOGS**



0 39079 406002 8

EPA Reg. No. 2724-497-270  
EPA Est. No. 2724-TX-1

Spot On® is a registered trademark of Wellmark International  
Made in USA ©2006 Farnam Companies, Inc.  
Product Code: 3006002 • RM# 101027 • 06-1714

**SPOT ON®  
FLEA & TICK CONTROL FOR DOGS**

**IMPORTANT!** Intended for Use on Dogs & Puppies 6 Months of Age or Older  
**READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES.  
 DO NOT USE ON CATS!**  
**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.  
 BIO SPOT® Spot On® Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.  
**DO NOT USE ON CATS!** May be toxic and potentially fatal if applied to or ingested by cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effects.  
 1. Bend at perforation and tear off first month's applicator. 2. Hold applicator and bend area of plastic at perforation, tear off and discard. 3. Hold applicator upright and snap tip back, away from face and body. 4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator. 5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator. 6. Do not reapply product for 30 days.  
**NOTE: DO NOT APPLY BIO SPOT SPOT ON FLEA & TICK CONTROL FOR DOGS TO CATS.** This product is intended for dogs only!  
 Although BIO SPOT Spot On Flea & Tick Control For Dogs is applied only between the shoulder blades and at the base of the tail, the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. BIO SPOT Spot On Flea & Tick Control For Dogs is most effective when used as part of a total flea and tick management area control of these pests in conjunction with this treatment.  
**FIRST AID**  
 If on skin or clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15–20 minutes. • Call a poison control center or doctor for treatment advice.  
 Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 or a poison control center for emergency medical treatment.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish.  
**PHYSICAL OR CHEMICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.  
 In case of emergency, or for product information call 1-800-234-2269, Monday-Friday, 7:00 AM - 3:45 PM MST  
**PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS & DOMESTIC ANIMALS – CAUTION: HUMANS:** Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS:** DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY. In the event of an emergency, contact 1-800-234-2269.  
**STORAGE & DISPOSAL:** Storage: Store in a cool, dry area in a location out of reach of children and pets. **Dispose:** If Empty: Do not reuse empty applicator. Place in trash or other for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SMALL SIZE DOGS | 16 TO 30 LBS



**SPOT ON®  
FLEA & TICK  
CONTROL  
FOR DOGS**



**SPOT ON®  
FLEA & TICK  
CONTROL  
FOR DOGS**

**CENTRAL**  
Garden & Pet



## APPLICATION METHOD



1. Bend at perforation and tear off first month's applicator.
2. Hold applicator and bend area of plastic at perforation, tear off and discard.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator.
5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator.
6. Do not reapply product for 30 days.



**DO NOT USE  
ON CATS!**



Manufactured for:  
**FARNAM PET PRODUCTS**  
A Division of Farnam Companies, Inc.  
P.O. Box 34820 • Phoenix, AZ 85067  
[biospot.com](http://biospot.com)




**TREATMENT SCHEDULE**  
Dosage: 1 Applicator every 30 days per dog

Pet's Name	First Treatment Date	Second Treatment Date (30 Days From 1st)	Third Treatment Date (30 Days From 2nd)

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_



**REMINDER:**

I purchased Bio Spot®  
Spot On® from:

\_\_\_\_\_

\_\_\_\_\_

BIO SPOT® SPOT ON®  
Flea & Tick Control For  
Small Dogs 16-30 lbs

Permethrin 45%, (S)-Methoprene 3%  
KEEP OUT OF REACH OF CHILDREN

CAUTION

DO NOT USE ON CATS  
READ DIRECTIONS BEFORE USING

EPA Reg. No. 2724-497-270

Net Contents: 0.034 fl oz

©2006 Farnam Companies, Inc.

06-1765 RM# 101029





# SPOT ON® FLEA & TICK CONTROL FOR DOGS



**3 MONTH SUPPLY**

**MEDIUM  
SIZE DOGS**

**31 TO 60 LBS**




## SPOT ON® FLEA & TICK CONTROL FOR DOGS

- **Three monthly treatments**
- **Each applicator kills & repels fleas, ticks & mosquitoes for up to 30 days**
- **Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation**

**ACTIVE INGREDIENTS:**  
 Permethrin (CAS # 52645-53-1)..... 45%  
 (S)-Methoprene (CAS # 65733-16-6)..... 3%  
**OTHER INGREDIENTS:**..... 52%  
**TOTAL**..... 100%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Inside Back Panel for Additional Precautionary Statements **NET CONTENTS:** Three 0.068 fl oz Applicators



0 39079 06001 1

EPA Reg. No. 2724-497-270

EPA Est. No. 2724-TX-1

Spot On® is a registered trademark of Wellmark International

Made in USA ©2006 Farnam Companies, Inc.

Product Code: 3006001 • RM# 101017 • 06-1713

**SPOT ON®  
FLEA & TICK CONTROL FOR DOGS**



**IMPORTANT!** Intended for Use on Dogs & Puppies 6 Months of Age or Older  
**READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES.**  
**DO NOT USE ON CATS!**  
**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.  
 BIO SPOT® Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.  
**DO NOT USE ON CATS!** May be toxic and potentially fatal if applied to or ingested by cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effects.  

1. Bend at perforation and tear off first month's applicator. **2.** Hold applicator upright and snap tip back, away from face and body.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator. **5.** Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator. **6.** Do not reapply product for 30 days.

**NOTE: DO NOT APPLY BIO SPOT SPOT ON FLEA & TICK CONTROL FOR DOGS to cats. This product is intended for dogs only!**  
 Although BIO SPOT Spot On Flea & Tick Control For Dogs is applied only between the shoulder blades and at the base of the tail, the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. BIO SPOT Spot On Flea & Tick Control For Dogs is most effective when used as part of a total flea and tick management program. Use other BIO SPOT products registered for residential area control of these pests in conjunction with this treatment.  
 out of reach of children and pets. **Dispose:** Empty. Do not reuse empty applicator. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. **Never** place unused product down any indoor or outdoor drain.  
**PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION:** HUMAN: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS:** **DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY.  
**STORAGE & DISPOSAL:** Store in a cool, dry area in a location out of reach of children and pets. **Dispose:** Empty. Do not reuse empty applicator. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. **Never** place unused product down any indoor or outdoor drain.  
**PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS & DOMESTIC ANIMALS - CAUTION:** HUMAN: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS:** **DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY.  
**FIRST AID**  
 If on skin or clothing • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.  
 Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 or a poison control center for emergency medical treatment.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish.  
**PHYSICAL OR CHEMICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.  
 In case of emergency, or for product information call 1-800-234-2269, Monday-Friday, 7:00 AM - 3:45 PM MST

**MEDIUM  
SIZE DOGS  
31 TO 60  
LBS**



PS

**bio SPOT  
SPOT ON®  
FLEA & TICK CONTROL FOR DOGS**



**SPOT ON®  
FLEA & TICK  
CONTROL  
FOR DOGS**

**CENTRAL**  
Garden & Pet



## APPLICATION METHOD



1. Bend at perforation and tear off first month's applicator.
2. Hold applicator and bend area of plastic at perforation, tear off and discard.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator on the dog's back between the shoulder blades. Apply 1/2 of the contents of the applicator.
5. Invert the applicator to an upright position and move to the dog's hindquarters. Position the tip of the applicator at the base of the tail and apply the remaining contents of the applicator.
6. Do not reapply product for 30 days.



**DO NOT USE  
ON CATS!**



Manufactured for:  
**FARNAM PET PRODUCTS**  
A Division of Farnam Companies, Inc.  
P.O. Box 34820 • Phoenix, AZ 85067  
[biospot.com](http://biospot.com)




**TREATMENT SCHEDULE**  
Dosage: 1 Applicator every 30 days per dog

Pet's Name	First Treatment Date	Second Treatment Date (30 Days From 1st)	Third Treatment Date (30 Days From 2nd)

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_



**REMINDER:**

I purchased Bio Spot®  
Spot On® from:

\_\_\_\_\_

\_\_\_\_\_

BIO SPOT® SPOT ON®

Flea & Tick Control For

Medium Dogs 31-60 lbs

Permethrin 45%, (S)-Methoprene 3%

KEEP OUT OF REACH OF CHILDREN

CAUTION

DO NOT USE ON CATS

READ DIRECTIONS BEFORE USING

EPA Reg. No. 2724-497-270

Net Contents: 0.068 fl oz

©2006 Farnam Companies, Inc.

06-1764 RM# 101019





# SPOT ON® FLEA & TICK CONTROL FOR DOGS



3 MONTH SUPPLY

LARGE SIZE DOGS | OVER 60 LBS

## SPOT ON® FLEA & TICK CONTROL FOR DOGS

- Three monthly treatments
- Each applicator kills & repels fleas, ticks & mosquitoes for up to 30 days
- Contains Insect Growth Regulator (IGR) to kill flea eggs and prevent reinfestation

ACTIVE INGREDIENTS:  
Permethrin (CAS # 52645-53-1) . . . . . 45%  
(S)-Methoprene (CAS # 65733-16-6) . . . . . 3%  
OTHER INGREDIENTS: . . . . . 52%  
TOTAL . . . . . 100%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Inside Back Panel for Additional Precautionary Statements NET CONTENTS: Three 0.101 fl oz Applicators



0 39079 05979 4

EPA Reg. No. 2724-497-270  
EPA Est. No. 2724-TX-1

Spot On® is a registered trademark of Wellmark International  
Made in USA ©2006 Farnam Companies, Inc.  
Product Code: 3005979 • RM# 101007 • 06-1712

**SPOT ON®  
FLEA & TICK CONTROL FOR DOGS**

In case of emergency, or for product information call  
1-800-234-2269, Monday-Friday, 7:00 AM - 3:45 PM MST.

**PHYSICAL OR CHEMICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish.

**Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 for a poison control center for emergency medical treatment.**

**First Aid**  
**If on skin or clothing** • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15–20 minutes. • Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS & DOMESTIC ANIMALS – CAUTION: HUMANS:** Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. **DOMESTIC ANIMALS: DO NOT USE ON PUPPIES LESS THAN 6 MONTHS OF AGE.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian IMMEDIATELY. In the event of an emergency, contact 1-800-234-2269.

**STORAGE & DISPOSAL:** Storage: Store in a cool, dry area in a location out of reach of children and pets. **Dispose:** Empty. Do not reuse empty applicator. Place in trash or other for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Although BIO SPOT Spot On Flea & Tick Control For Dogs is applied only to the dog's skin and hair oils carry the product over the entire body for protection against fleas, ticks, and flea eggs. BIO SPOT Spot On Flea & Tick Control For Dogs is most effective when used as part of a total flea and tick management program. Use other BIO SPOT products registered for residential area control of these pests in conjunction with this treatment.

**DO NOT USE ON CATS!** May be toxic and potentially fatal if applied to or ingested by cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harmful effects. 1. Bend at perforation and tear off first month's applicator. 2. Hold applicator and bend area of plastic at perforation, tear off and discard. 3. Hold applicator upright and snap tip back, away from face and body. 4. Position the tip of the applicator at the base of the dog's neck. Apply 1/3 of the contents of the applicator. 5. Invert the applicator to an upright position and move to the middle of the dog's back. Apply 1/2 of the remaining contents of the applicator. 6. Invert the applicator to an upright position and move to the base of the dog's tail. Apply the remaining 1/3 of the contents of the applicator. 7. Do not reapply product for 30 days.

**NOTE: DO NOT APPLY BIO SPOT SPOT ON FLEA & TICK CONTROL FOR DOGS TO CATS.** This product is intended for dogs only!

**IMPORTANT!** Intended for Use on Dogs & Puppies 6 Months of Age or Older. **READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR PUPPIES. DO NOT USE ON CATS!** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **DIRECTIONS FOR USE:** BIO SPOT Spot On Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.

**DO NOT USE ON CATS!** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **DIRECTIONS FOR USE:** BIO SPOT Spot On Flea & Tick Control For Dogs prevents eggs from developing into adult fleas for up to 30 days. This product also kills and repels ticks and mosquitoes for up to 30 days.


LARGE SIZE DOGS | OVER 60 LBS





**SPOT ON®  
FLEA & TICK  
CONTROL  
FOR DOGS**

**CENTRAL**  
Garden & Pet



## APPLICATION METHOD



1. Bend at perforation and tear off first month's applicator.
2. Hold applicator and bend area of plastic at perforation, tear off and discard.
3. Hold applicator upright and snap tip back, away from face and body.
4. Position the tip of the applicator at the base of the dog's neck. Apply  $\frac{1}{3}$  of the contents of the applicator.
5. Invert the applicator to an upright position and move to the middle of the dog's back. Apply  $\frac{1}{2}$  of the remaining contents of the applicator.
6. Invert the applicator to an upright position and move to the base of the dog's tail. Apply the remaining  $\frac{1}{3}$  of the contents of the applicator.
7. Do not reapply product for 30 days.



Manufactured for:  
**FARNAM PET PRODUCTS**  
A Division of Farnam Companies, Inc.  
P.O. Box 34820 • Phoenix, AZ 85067  
[biospot.com](http://biospot.com)



**DO NOT USE  
ON CATS!**




**TREATMENT SCHEDULE**  
Dosage: 1 Applicator every 30 days per dog

Pet's Name	First Treatment Date	Second Treatment Date (30 Days From 1st)	Third Treatment Date (30 Days From 2nd)

**NOTES:**

\_\_\_\_\_

\_\_\_\_\_



**REMINDER:**

I purchased Bio Spot®  
Spot On® from:

\_\_\_\_\_

\_\_\_\_\_

BIO SPOT® SPOT ON®  
Flea & Tick Control For  
Large Dogs Over 60 lbs  
Permethrin 45%, (S)-Methoprene 3%  
KEEP OUT OF REACH OF CHILDREN

CAUTION

DO NOT USE ON CATS  
READ DIRECTIONS BEFORE USING  
EPA Reg. No. 2724-497-270

Net Contents: 0.101 fl oz  
©2006 Farnam Companies, Inc.  
06-1763 RM# 101009

